




Specifications Ledvance LED Panel
Compact 33W 4320lm - 840 Cool White
| 60x60cm - UGR <19 - Dali Dimmable



[View Product](#)

General Information

| | |
|--------------------------|----------------------------------|
| SKU | 246942 |
| EAN | 4099854015229 |
| Manufacturer Code | 4099854015229 |
| Brand | Ledvance |
| Manufacturer Name | PL CMFT 600 P 33W 840 U19 DALIVR |
| Any Lamp all-in warranty | 5 Years |
| Average Lifetime (h) | 70000 |
| Series | PANEL COMFORT |

Technical Information

| | |
|-----------------------------|--------------------|
| Technology | LED Integrated |
| Replaces (Watt) | 4x18 |
| Wattage | 33W |
| Voltage (V) | 220-240 |
| Dimmable | Dimmable with Dali |
| Colour Code | 840 Cool White |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra) | 80-89 |
| Colour of Light | White |
| Light colour options | Single Color |

| | |
|--------------------------|----------------------------|
| Including bulb | Yes |
| Luminous Flux (Lumen) | 4320lm |
| Luminous Efficacy (lm/W) | 130 |
| IP-rating | IP40 |
| Impact Protection (IK) | IK02 - 0.20 joule |
| Fixture Connection | Screwless terminal, 5-Pole |
| Finish of Reflector | Frosted |
| Power factor | >0.90 |
| Product Type Category | LED Panel |

Fixture Information

| | |
|-----------------------|--------------------------------|
| Mounting Method | Recessed |
| Unified Glare Rating | < 19 - for offices and schools |
| Optical Cover | PS (Polystyrene) |
| Operating Temperature | -10 to +50 |
| Emergency Lighting | No Emergency Unit |
| Colour of the Fixture | White |
| Housing | Aluminium |
| Colour of material | White |

Dimensions

| | |
|----------------|---------|
| LED panel size | 60x60cm |
| Length (mm) | 595 |
| Width (mm) | 595 |
| Height (mm) | 32 |

Sensor Information

Type of sensor

No Sensor

Why Any-lamp?



Order from the **largest lighting specialist** in Europe



Customised quotation



Up to **7 years warranty**



Easy return process

