

Specifications Philips LED Downlight Coreline DN140B 19W 2200lm 120D - 830 Warm White | 216mm - Aluminium Reflector



[View Product](#)

General Information

| | |
|--------------------------|-----------------------------|
| SKU | 234601 |
| EAN | 8710163325927 |
| Manufacturer Code | 32592700 |
| Brand | Philips |
| Manufacturer Name | DN140B LED20S/830 PSU C PI6 |
| Any Lamp all-in warranty | 5 Years |
| Average Lifetime (h) | 50000 |

Technical Information

| | |
|-----------------------------|-------------------|
| Emergency Lighting | No Emergency Unit |
| Tiltable | No |
| Technology | LED Integrated |
| Replaces (Watt) | 2x18 |
| Wattage | 19W |
| Voltage (V) | 220-240 |
| Dimmable | Not Dimmable |
| Colour Code | 830 Warm White |
| Colour temperature (Kelvin) | 3000 Warm White |
| Colour Rendering (Ra) | 80-89 |
| Colour of Light | White |

| | |
|--------------------------|--------------------------|
| Light colour options | Single Color |
| Driver Included | Yes |
| Beam Angle (degree) | 120 |
| Luminous Flux (Lumen) | 2200lm |
| Luminous Efficacy (lm/W) | 116 |
| Power factor | >0.95 |
| Installation Depth (mm) | 200 |
| Unified Glare Rating | < 22 - for general areas |
| Optical Cover | PC (Polycarbonate) |
| Suitable for Outdoor | No |
| Product Type Category | LED Downlight |

Fixture Information

| | |
|-----------------------|-------------------------------|
| EOC8 | 32592700 |
| Mounting Method | Recessed |
| Cut out (mm) | 200 |
| IP-rating | IP20 |
| Operating Temperature | -20 to +40 |
| Housing | Aluminium |
| Colour of the Fixture | White |
| Colour of material | White |
| Fixture Connection | PI [Push-in connector 6-pole] |
| Series | DN140B |

Dimensions

| | |
|---------------|-----|
| Height (mm) | 108 |
| Diameter (mm) | 216 |

Sensor Information

Type of sensor

No Sensor

Why Any-lamp?

 Order from the **largest lighting specialist** in Europe  **Customised** quotation

 Up to **7 years warranty**  **Easy** return process