



Specifications Philips LED Waterproof Batten CoreLine Tubular WT210C 54W 7000lm - 840 Cool White | 150cm



[View Product](#)

General Information

| | |
|--------------------------|------------------------------------|
| SKU | 246878 |
| EAN | 8719514947382 |
| Manufacturer Code | 94738299 |
| Brand | Philips |
| Manufacturer Name | WT210C LED70S/840 PSU TW1 PC L1500 |
| Any Lamp all-in warranty | 5 Years |
| Average Lifetime (h) | 50000 |
| D-Mark | Yes |

Technical Information

| | |
|-----------------------------|-----------------|
| Technology | LED Integrated |
| Replaces (Watt) | 2x58 |
| Wattage | 54W |
| Voltage (V) | 220-240 |
| Dimmable | Not Dimmable |
| Colour of Light | White |
| Colour Code | 840 Cool White |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra) | 80-89 |
| Light colour options | Single Color |

| | |
|--------------------------|-----------------------|
| Luminous Flux (Lumen) | 7000lm |
| Luminous Efficacy (lm/W) | 130 |
| Power factor | >0.90 |
| Including bulb | Yes |
| Amount of bulbs required | 1 |
| Length | 150cm |
| Product Type Category | LED Waterproof Batten |

Fixture Information

| | |
|------------------------|------------------------|
| EOC8 | 94738299 |
| Mounting Method | Surface |
| Fixture Connection | Connection unit 3-pole |
| Optical Cover | PC (Polycarbonate) |
| IP-rating | IP68 |
| Impact Protection (IK) | IK10 - 20 joules |
| Operating Temperature | -25 to +25 |
| Housing | PC (Polycarbonate) |
| Colour of the Fixture | White |
| Colour of material | White |
| Emergency Lighting | No Emergency Unit |
| Series | WT210C |

Dimensions

| | |
|-------------|------|
| Length (mm) | 1615 |
| Width (mm) | 82.5 |

Sensor Information

Type of sensor

No Sensor

Why Any-lamp?



Order from the **largest lighting specialist** in Europe



Customised quotation



Up to **7 years warranty**



Easy return process

